



## PRV654KLED

65" 4K Ultra High Resolution  
Commercial Grade LED – LCD Monitor

**Slim & Reliable**- This 24/7 rated display features true 4K 3840 x 2160 resolution providing a strikingly clear image.

**Direct LED** – This new display features direct LED backlighting for a more uniform looking monitor with lower power consumption.

**Applications** – High Tech Conference Rooms, Digital Signage, Control Rooms, Broadcast, Gaming and Hospitality, Retail, Higher Education, Corporate, Healthcare and Industrial.

### Highlights

- 65" true 4K industrial display with metal frame housing
- New Direct LED 450 NITS backlight
- Internal upscale capability from FHD to UHD
- Wired for ultra 4K HD resolution with HDMI and Display Port
- Super thin ADA compliant depth
- Heat Control – sensors monitor internal temperature allowing remote control of fans
- Industrial reliability (50,000 hours)

## Technical Specification

<b>Display</b>	Screen Size (Diagonal)	54.53"
	Aspect Ratio	16:9
	Resolution	3840 x 2160 (QWUXGA)
	Refresh Rate	60Hz
	Response Time (ms)	5
	Brightness	450 cd/m2
	Contrast Ratio	3500:1
	Viewing Angle	178° / 178°
	Colors	1.07 Billion (10 BIT)
<b>Connectivity</b>	USB	Software Updates
	RS-232	1 x Input / 1 x Output
	HDMI 2 (UHD)	1x Input / 1 x Output
	Display Port	1 x Input
	AC Power	1 x Input
<b>Power</b>	Requirements	AC 90~240V @ 50/60Hz
	Standby Consumption	3W
	Operating Consumption	170W
<b>Environmental</b>	Operating Temperature	0°-40° C
	Operating Humidity	10% - 90%
<b>General</b>	Dimensions	1452.2 x 831.7 x 79.8 mm
		57.17" x 32.74" x 3.14"
	Weight	50 Kg
		110 Lb
VESA Dimensions	600 x 400 mm	

# Mechanical Drawing

