

# Primeview Outdoor LED Display

Unique by Design



## PRVLEDFSNMOUD

### 2.9-3.9mm Fusion MAX 16:9 Outdoor LED Displays

Primeview's cutting-edge LED displays offer the highest refresh rate technology on the market to provide crisper, clearer and brighter images for outdoor applications. The seamless video walls are easy to install, operate and maintain thereby creating high-impact visuals. Industrial 24/7 rated LED display walls are reliable and dynamic, perfect for sports arenas and stadiums, digital out of home advertising billboards, transportation, exterior retail signage and entertainment venues. With their ultimate flexibility, clients can utilize their creativity for brilliant high-impact branding walls and one-of-a-kind digital art for cinema quality viewing.

### PRV Outdoor LED Highlights

- 3840 Hz Refresh Rate
- 24/7 design for 100,000 Hours Lifespan
- 4,500 NITS of High Brightness
- IP65 Extreme Weather rating
- Front/Rear Accessible
- 160/120 Cinema Quality Viewing Angles
- 5 Year onsite Parts and Labor Warranty

## Technical Specifications

Size	158"	203"	247"
Pixel Pitch (mm)	2.9	3.9	2.9
Brightness (nits)	4500		
Refresh Rate(Hz)	≥3840HZ		
Resolution	1176 x 672	1152 x 640	1848 x1080
Power Consumption(Max/Ave) (W/display)	5180 / 1726	9250 / 3083	12210 / 4070
Display Area (mm)	3500 x2000	4500 x 2500	5500 x 3000
Display Area (sqm)	7	12.5	16.5
Screen Dims (mm / ft. inches"	3500 x 2000 x 89 11' 5.8" x 6' 6.74" x 3.5"	4500 x 2500 x 89 14'9.2" x 8'2.4" x 3.5"	5500x 3000 x 50 18'0.5" x 9'10.1" x3.5"
Panel Quantity(unit)	7x4	9X5	11x6
Screen Weight (kg)	238	383	561
Screen Weight (Lb)	525	844	1237
IP Rating (Front / Rear)	IP 65 / IP 54		
Gray Scale (Bit)	14 Bit		
Viewing Angle (H / V)	160° / 120°		
Input voltage (V)	AC 100-240V		
Installation Method	Floor Bolted / Wall Mounted	Floor Bolted / Wall Mounted	Wall Mount <b>(only)</b>
Maintenance	Front / Rear		
Operating Temperature / Humidity(°C/RH)	10~50/10%~85%	10~50/10%~85%	10~50/10%~85%
Control System	PRV Control System with embedded Android Player + OSD		

# Mechanical Drawing

## PRIMEVIEW OUTDOOR 500mm X 500mm CABINET

